

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7550; TWX: 710-828-0548;

TELEX: 88-8402 OR 275121; FAX: (301) 821-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS PRICE
			1-3	4-9	10-24	
WJ-861XB/LOG	LOG VIDEO	120	930	930	930	A
WJ-8617B/NRT	NOISE RIDING THRESHOLD	120	1,410	1,340	1,270	A
WJ-861XB/PASEC	PAN SECTOR SCAN	180	1,170	1,110	1,060	C
WJ-861XB/PKC	PLUG KEYBOARD CONTROL	120	590	590	590	A
WJ-861XB/RTC	REAL TIME CLOCK	120	190	190	190	A
WJ-861XB/S1RLOG	RECORD LOG OUTPUT	120	1,090	1,090	1,090	A
WJ-861X/SCS-18	STRAIGHT CHASSIS SLIDES	030	130	130	130	
WJ-861XB/SM	SIGNAL MONITOR	120	3,000	2,840	2,770	A
WJ-861XB/SSB	SINGLE SIDEBAND	120	1,060	1,060	1,060	A
WJ-861XB/VBFO	VARIABLE BFO	120	1,910	1,820	1,770	A
WJ-861X/WBO	WIDEBAND IF OUTPUT (4M)	120	670	670	670	A
WJ-861X/WBO-2	WIDEBAND IF OUTPUT (6M)	120	750	750	750	
WJ-861XBS1/188	ML-STD-188C INT BUS	120	710	710	710	
WJ-861XBS1/232	RS-232C INTERFACE BUS	120	550	550	550	A
WJ-861XBS1/488	IEEE-488 INTERFACE BUS	120	550	550	550	A
WJ-861XB/488/MS	IEEE-488 W/ MASTER SLAVE	120	550	550	550	
WJ-861XB/3.2K	IF DEMOD 3.2 KHZ BW	120	840	840	840	
WJ-861XB/3.2/6.4K	IF BANDWIDTH 3.2/6.4 KHZ	180	1,310	1,240	1,180	
WJ-861XB/3.2/10K	IF BANDWIDTH 3.2/10 KHZ	180	1,660	1,580	1,500	
WJ-861XB/6.4K	IF DEMOD 6.4 KHZ BW	120	720	720	720	
WJ-861XB/6.4/10K	IF BANDWIDTH 6.4/10 KHZ	180	1,560	1,480	1,410	
WJ-861XB/10K	IF DEMOD 10 KHZ BANDWIDTH	120	600	600	600	
WJ-861XB/10/20K	IF BANDWIDTH 10/20 KHZ	180	1,470	1,400	1,330	
WJ-861XB/10/25K	IF BANDWIDTH 10/25 KHZ	180	1,570	1,490	1,420	

F.O.B GAITHERSBURG, MARYLAND

PAGE

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7560; TWX: 710-828-0646;

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-9881A	DF ANTENNA	180	20,880	19,830	18,840	A	75
WJ-9882	500-1100 MHZ DF ANTENNA	180	8,440	8,020	7,620	B	75
WJ-9902	FRAME FOR 2 WJ-8607 RECVRS	180	3,630	3,270	2,940	C	50
WJ-9902/FPU	* FRONT PANEL UNIT	180	2,690	2,560	2,430	C	
WJ-9902/232	RS-232C REMOTE INTERFACE	180	1,480	1,410	1,340	C	
WJ-9902/422	RS-422 REMOTE INTERFACE	180	1,420	1,350	1,280	C	
WJ-9902/488	IEEE-488 REMOTE INTERFACE	180	1,420	1,350	1,280	C	
<p>* NOTE: THE WJ-9902/FPU REQUIRES THE USE OF ONE OF THE WJ-9902/XX REMOTE INTERFACES LISTED ABOVE.</p>							
WJ-9908	FRAME FOR 8 WJ-8607 RECEIVER	180	16,040	14,440	13,000	C	50
WJ-9908/232	RS-232C REMOTE INTERFACE	180	1,480	1,410	1,340	C	
WJ-9908/422	RS-422 REMOTE INTERFACE	180	1,420	1,350	1,280	C	
WJ-9908/488	IEEE-488 REMOTE INTERFACE	180	1,420	1,350	1,280	C	

F.O.B GAITHERSBURG, MARYLAND

PAG

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD  
GAITHERSBURG, MD 20878-1704

PHONE: (301) 948-7550; TWX: 710-828-0546

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE	
			1-3	4-9	10-24			
WJ-8609A	* MINICECTOR RECEIVER	180	26,040	24,810	23,640	C	120	
WJ-8609A-1	** MINICECTOR RECEIVER	180	33,800	32,180	30,640	C	120	
WJ-8609A/BWS1	BW SET 1: 1, 6, 10, 20, 40 MHZ	180	INCLUDED IN WJ-8609A RECEIVER PRICING.					
WJ-8609A/BWS2	BW SET 2: 1, 2, 5, 10, 20 MHZ	180	INCLUDED IN WJ-8609A RECEIVER PRICING.					
WJ-8609A/BWS3	BW SET 3: .5, 1, 2, 5, 10 MHZ	180	INCLUDED IN WJ-8609A RECEIVER PRICING.					
WJ-8609A/BWS4	BW SET 4: .5, 2, 5, 10, 20 MHZ	180	INCLUDED IN WJ-8609A RECEIVER PRICING.					
WJ-8609A/BWS5	BW SET 5: .5, 2, 10, 20, 40 MHZ	180	INCLUDED IN WJ-8609A RECEIVER PRICING.					
<p>* NOTE: THE WJ-8609A ACCEPTS MOST WJ-800X/XXX OPTIONS. THE SSB AND WBO OPTIONS ARE NOT AVAILABLE FOR THE WJ-8609A EQUIPMENT.</p> <p>** NOTE: THE WJ-8609A-1 SUPPORTS OPERATION OF THE WJ-9290 BLOCK DOWN CONVERTERS. (CONTACT FACTORY FOR FREQUENCY BANDS AVAILABLE AND FOR PRICE/DELIVERY). UNIT PRICING INCLUDES THE /FE OPTION AND ONE OF THE DEFINED WJ-8609A IF BANDWIDTH SETS.</p>								
WJ-8615D	*** COMPACT RECEIVER	180	21,960	20,860	19,820	A	220	
WJ-8615D-2	*** COMPACT RECEIVER (BCD)	180	23,420	22,240	21,100	A	220	
WJ-8615D-4	*** COMPACT RECEIVER (400 HZ)	180	22,060	20,960	19,920	A	220	
WJ-8615P	*** RCVR MICRPRC FP W/SSLEM	180	18,300	17,390	16,100	B	200	
WJ-8615P-4	*** RCVR MICRPRC FP (400H)	180	18,400	17,480	16,190	B	200	
WJ-8615P-8	*** RCVR MICRPRC FP (10 HZ SSB)	180	18,900	17,960	16,520	B	200	
<p>*** NOTE: THE WJ-8615 RECEIVER PRICES INCLUDE ANY THREE OF THE IF BANDWIDTHS LISTED ON PAGES 4 AND 5, AND IEEE-488 CONTROL.</p>								
WJ-8615/BR	BLANK RACK	120	360	360	360			
WJ-8615/EXT	EXTENDER BOARD KIT	180	1,720	1,230	1,140			
WJ-8615/FE	FREQ EXT 500-1100 MHZ	180	5,455	5,180	4,920	A		

F.O.B GAITHERSBURG, MARYLAND

PAG

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7550; TWX: 710-828-0548

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN

JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS PRICE
			1-3	4-9	10-24	
WJ-860X/DSO	DIGITAL SCAN OPTION	180	400	400	400	
WJ-860X/ENV	ENV CONFORMAL COAT	180	2,210	2,100	2,000	
WJ-860X/FE	FREQ EXTENDER (512-2000M)	180	7,760	7,370	7,000	
WJ-860X/MCS	MINICEPTOR CONTROL SW	180	600	600	600	
WJ-860X/SSB	SINGLE SIDEBAND	180	650	650	650	
WJ-860X/WBO	WIDEBAND OUTPUT	180	390	390	390	
WJ-860X/6.4K	IF DEMOD 6.4 KHZ BW	180	760	760	760	
WJ-860X/10K	IF DEMOD 10 KHZ BW	180	600	600	600	
WJ-860X/20K	IF DEMOD 20 KHZ BW	180	600	600	600	
WJ-860X/50K	IF DEMOD 50 KHZ BW	180	600	600	600	
WJ-860X/75K	IF DEMOD 75 KHZ BW	180	600	600	600	
WJ-860X/100K	IF DEMOD 100 KHZ BW	180	600	600	600	
WJ-860X/250K	IF DEMOD 250 KHZ BW	180	990	990	990	
WJ-860X/300K	IF DEMOD 300 KHZ BW	180	600	600	600	
WJ-860X/500K	IF DEMOD 500 KHZ BW	180	600	600	600	
WJ-860X/1M	IF DEMOD 1 MHZ BW	180	600	600	600	
WJ-860X/2M	IF DEMOD 2 MHZ BW	180	600	600	600	
WJ-860X/4M	IF DEMOD 4 MHZ BW	180	600	600	600	
WJ-860X/8M	IF DEMOD 8 MHZ BW	180	600	600	600	

F.O.B GAITHERSBURG, MARYLAND

PAG

# CET DIVISION

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
AN/URR-74(V)2	RCVR W/ICM/ISB/NAV	150	13,950	13,270	12,600	A	220
BP-102	BLANK PANEL	150	100	100	100		
EF-201D	EQUIPMENT FRAME	030	410	410	410		
EF-201D/SCS-14	STRAIGHT CHASSIS SLIDES	030	120	120	120		
FT-203	IF-TAPE CONVERTER	150	8,730	8,290	7,880	A	75
FT-208	IF-TAPE CONVERTER	150	9,890	9,400	8,930	A	75
FT-210	IF-TAPE CONVERTER	150	8,420	8,000	7,600	A	75
FT-210E	IF-TAPE CONVERTER	150	9,170	8,710	8,270	C	50
S-9203A	SPEAKER PANEL	150	1,540	1,460	1,390	A	55
S-9903E	SPEAKER PANEL	150	1,330	1,260	1,200	A	55
SM-1622	SIGNAL MONITOR	150	9,790	9,300	8,840	A	75
SM-1622-1	SIGNAL MONITOR	150	10,790	10,250	9,740	A	75
SM-9304A	SIGNAL MONITOR	150	7,820	7,430	7,060	A	75
SM-9404A	SIGNAL MONITOR	150	7,820	7,430	7,060	A	75
SM-9804A	SIGNAL MONITOR	150	7,820	7,430	7,060	A	75
WJ-8604	* MINICEPTOR RECEIVER	180	20,740	19,700	18,720	C	120
WJ-8607	* VHF/UHF RECEIVER (2-512M)	180	18,300	17,390	16,100	B	200
WJ-8608	* MINICEPTOR RECEIVER	180	19,140	18,180	17,270	B	200

NOTE: THE WJ-8604, WJ-8607, AND WJ-8608 RECEIVER PRICES INCLUDE ANY THREE OF THE  
IF BANDWIDTHS LISTED BELOW AND EITHER HPIL OR RS-232C CONTROL.

F.O.B GAITHERSBURG, MARYLAND

PAK

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7550; TWX: 710-826-0648

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS PRICE
			1-3	4-9	10-24	
WJ-861XB/15K	IF DEMOD 15 KHZ BW	120	670	670	670	
WJ-861XB/15/20K	IF BANDWIDTH 15/20 KHZ	180	1,450	1,380	1,310	
WJ-861XB/20K	IF DEMOD 20 KHZ BANDWIDTH	120	600	600	600	
WJ-861XB/20/30K	IF BANDWIDTH 20/30 KHZ	180	1,390	1,320	1,250	
WJ-861XB/20/50K	IF BANDWIDTH 20/50 KHZ	180	1,470	1,400	1,330	
WJ-861XB/30K	IF DEMOD 30 KHZ BANDWIDTH	120	840	840	840	
WJ-861XB/30/40K	IF BANDWIDTH 30/40 KHZ	180	1,430	1,360	1,290	
WJ-861XB/30/50K	IF BANDWIDTH 30/50 KHZ	180	1,440	1,370	1,300	
WJ-861XB/50K	IF DEMOD 50 KHZ BANDWIDTH	120	600	600	600	
WJ-861XB/50/75K	IF BANDWIDTH 50/75 KHZ	180	1,460	1,390	1,320	
WJ-861XB/50/100K	IF BANDWIDTH 50/100 KHZ	180	1,510	1,430	1,360	
WJ-861XB/75K	IF DEMOD 75 KHZ BANDWIDTH	120	960	960	960	
WJ-861XB/75/100K	IF BANDWIDTH 75/100 KHZ	180	1,490	1,420	1,350	
WJ-861XB/100K	IF DEMOD 100 KHZ BANDWIDTH	120	600	600	600	
WJ-861XB/100/200K	IF BANDWIDTH 100/200 KHZ	180	1,990	1,890	1,800	
WJ-861XB/100/300K	IF BANDWIDTH 100/300 KHZ	180	1,490	1,420	1,350	
WJ-861XB/150/200K	IF BANDWIDTH 150/200 KHZ	180	2,030	1,930	1,830	
WJ-861XB/250K	IF DEMOD 250 KHZ BANDWIDTH	120	1,030	980	930	
WJ-861XB/250/500K	IF BANDWIDTH 250/500 KHZ	180	1,680	1,600	1,520	
WJ-861XB/300K	IF DEMOD 300 KHZ BANDWIDTH	120	600	600	600	
WJ-861XB/500K	IF DEMOD 500 KHZ BANDWIDTH	120	600	600	600	

F.O.B GAITHERSBURG, MARYLAND

PAG

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1704

PHONE: (301) 948-7560; TWX: 710-828-0548;

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-8690/DCT	DUAL CHAN TUNER ENCLOSURE	180	940	890	850		
WJ-869X/NBC	NOTEBOOK COMPUTER	180	5,530	5,250	4,990		
WJ-869X/T1	T1 OUTPUT FORMATTER	180	940	890	850		
WJ-8700	DUAL HF RECEIVER	180	19,880	18,890	17,950	C	120
WJ-8700 WITH /NFP	DUAL HF RCVR. NO FRONT PNL	180	17,860	16,970	16,120		
WJ-8700S	SINGLE CHNL (CH-A) HF RCVR	180	12,600	11,970	11,370		
WJ-8700S W/NFP	SINGLE CHNL HF RCVR. NO FP	180	10,640	10,100	9,600		
WJ-8700-1	TUNABLE DEMODULATOR	180	19,880	18,890	17,950		
<p>* NOTE: THE WJ-8700 RECEIVER PRICE INCLUDES WJ-8700/XBW1, WJ-8700/XBW2, AND/OR WJ-8700/XBW8 IF BANDWIDTH SETS (ONE SET PER CHANNEL), AND WJ-8700/SM1 OUTPUT.</p> <p>** NOTE: A REMOTE INTERFACE (EITHER WJ-8700/488 OR /232) IS REQUIRED IF ONLY ONE CONTROL PORT IS DESIRED.</p> <p>*** NOTE: THE WJ-8700-1 IS A REPLACEMENT FOR THE DMS-105A.</p>							
WJ-8700/232	RS-232C REMOTE INTERFACE	180	1,480	1,410	1,340		
WJ-8700/488	IEEE-488 REMOTE INTERFACE	180	1,420	1,350	1,280		
WJ-8700/XBW1	BWS: .5, 1, 2, 4, 8, 16 KHZ	180	INCLUDED IN WJ-8700 RECEIVER PRICE				
WJ-8700/XBW2	BWS: .25, .5, 3, 2.8, 12, 16 KHZ	180	INCLUDED IN WJ-8700 RECEIVER PRICE				
WJ-8700/XBW3	BWS: .25, .5, USB, LSB, 0.12, 16K, ISB	180	340	340	340		
WJ-8700/XBW4	BWS: .10, .25, .5, 1, USB, LSB, 8K, ISB	180	340	340	340		
WJ-8700/XBW5	BWS: .25, .5, LSB, USB, 2.4, 8K, ISB	180	340	340	340		
WJ-8700/XBW6	BWS: .5, 2, LSB, USB, 4, 8, 32K, ISB	180	640	640	640		
WJ-8700/XBW7	BWS: 1, LSB, USB, 4, 8, 16, 32K, ISB	180	640	640	640		
WJ-8700/XBW8	BWS: .5, 2, 3, 2.4, 16K	180	INCLUDED IN WJ-8700 RECEIVER PRICE				

F.O.B GAITHERSBURG, MARYLAND

PA.

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD  
GAITHERSBURG, MD 20878-1704

PHONE: (301) 948-7550; TWX: 710-828-0548

TELEX: 88-8402 OR 275121; FAX: (301) 821-8479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-8700/XOP1	21.4M SMO & WDBAND BBC	180	2,350	2,240	2,120		
WJ-8700/XOP2	21.4M SMO & NRWBAND BBC	180	1,540	1,470	1,400		
WJ-8700/XOP3	21.4M SM OUTPUT & 45 KHZ IF	180	1,540	1,470	1,400		
WJ-8700/XSM1	455K SIGNAL MONITOR OUTPUT	180	INCLUDED IN WJ-8700 RECEIVER PRICE				
WJ-8700/XSM2	21.4 SIGNAL MONITOR OUTPUT	180	860	820	780		
WJ-8709	1/2 RACK HF RCVR	150	9,110	8,660	8,230	C	120
WJ-8709/FSK	FREQ SHIFT KEYING	150	900	860	810	C	
WJ-8709/SMO	SIGNAL MONITOR OUTPUT	150	450	430	410	C	
WJ-8709/SSB	SINGLE SIDE BAND	150	910	870	820	C	
WJ-8709/232	RS232 DIG INTERFACE (L/T)	150	2,340	2,220	2,110	A	
WJ-8709/488-2	IEEE-488 DIG INTERFACE (L/T)	150	2,340	2,220	2,110	A	
WJ-8711	DIGITAL HF RECEIVER	180	5,995	5,695	5,410	C	120
WJ-8711/PRE	SUBOCTAVE PRESELECTOR	180	880	840	800		
WJ-8712	DIGITAL HF RECEIVER	180	5,700	5,420	5,150	C	120
WJ-8712/PRE	SUBOCTAVE PRESELECTOR	180	880	840	800		
WJ-8716	HF RCVR W/O TUNING CONTROL	180	11,630	11,050	10,500	A	220
WJ-8716/MCM-2	MANUAL CONTROL MODULE	150	750	720	680		
WJ-8716/MFP	MICROPROCESSOR FP	180	3,740	3,550	3,380	A	
WJ-8718A	HF RCVR W/MCM-2 & ISB	150	11,630	11,050	10,500	A	220
WJ-8718A-9	GENERAL PURPOSE HF RCVR	150	11,630	11,050	10,500	A	220
WJ-871X/B10	10 HZ BFO	150	430	410	390	A	
WJ-8718A/COR	CARRIER OPERATED RELAY	150	1,300	1,240	1,180	A	
WJ-871X/CORM	COR FOR 871X W/MFP	150	980	920	880	B	

F.O.B GAITHERSBURG, MARYLAND

PAG



# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1724

PHONE: (301) 948-7550; TWX: 710-828-0548

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-871X/DDC	DUAL DIVERSITY COMBINER	150	750	720	680	C	
WJ-871X/FSK	FREQUENCY SHIFT KEYING	150	1,020	980	920	C	
WJ-871X/GRN	DISPLAY COLOR GREEN	150	140	140	140		
WJ-871X/IPP	INPUT POWER PROTECTION	150	170	160	150		
WJ-871X/LLA	LOW LEVEL AUDIO	150	400	380	360	C	
WJ-8718A/MCOR	COR FOR 871XA W/MFP	150	980	920	880	B	
WJ-8718A/MFP	MICROPROCESSOR FP	150	3,740	3,550	3,380	A	
WJ-8718A/NAV	NAVY OPTION	150	2,320	2,220	2,100	A	
WJ-8718A/RLOG	REMOTE LOG USED W/MFP	150	1,230	1,170	1,100	C	
WJ-871X/PRE	PRESELECTOR	150	2,990	2,840	2,690	A	
WJ-871X/RED	DISPLAY COLOR RED	150	140	140	140		
WJ-871X/SCS-18	RACK SLIDES, NON-TILT	030	160	150	140		
WJ-871X/SMO	SIGNAL MONITOR OUTPUT	150	960	910	860	A	
WJ-871X/W1	WIDEBAND IF OUTPUT (18KHZ)	150	270	250	240	C	
WJ-871X/W2	WIDEBAND IF OUTPUT (28KHZ)	150	530	510	490	C	
WJ-871X/W3	WIDEBAND IF OUTPUT (100KHZ)	150	1,100	1,050	1,000	C	
WJ-871X/1HZ	ONE HZ CONTROL	150	2,190	2,090	1,990	A	
WJ-871X/1HZM	1 HZ CONTROL FOR MFP	150	2,190	2,090	1,990	A	
WJ-871X/100HZ	100 HZ IF BW OPTION	150	1,760	1,670	1,590		
WJ-871X/232	RS232 DIG INTERFACE (LT)	150	2,590	2,470	2,330	A	
WJ-871X/232M	RS232 I/O FOR MFP	150	1,110	1,060	1,010	A	
WJ-871X/488-2	IEEE-488 DIG INTERFACE (LT)	150	2,590	2,470	2,330	A	
WJ-871X/488M	IEEE-488 I/O FOR MFP	150	1,110	1,060	1,010	A	

F.O.B GAITHERSBURG, MARYLAND

PAGE

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD  
GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7550; TWX: 710-828-0546;

TELEX: 89-8402 OR 275121; FAX: (301) 821-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		

### WJ-8985 3-CHANNEL DF SYSTEM COMPONENTS (EXPORTABLE):

WJ-8985/CH3	3-CHNL DF PROSR (2-512 MHZ)	210	105,000	99,750	94,760	C	120
WJ-8986/FE3	FREQUENCY EXT (512-2000 MHZ)	210	36,000	34,200	32,490	INCLUDED IN /CH	

NOTE: CONTACT FACTORY FOR DETAILS ON PRICE AND AVAILABILITY ON THE /CH4 AND /CH5 OPTIONS.

NOTE: CONTACT FACTORY FOR DETAILS ON PRICE AND AVAILABILITY ON THE /FE4 AND /FE5 OPTIONS.

WJ-8986/OC	OPERATOR CHANNEL (2-512M)	210	19,980	19,240	17,950	B	200
WJ-8986/OCE	OPERATOR CHANNEL (2-2000M)	210	27,910	26,610	24,950	B	200
WJ-8986/488	IEEE-488 INTERFACE	210	1,200	1,200	1,200	C	

NOTE: THE WJ-8986/OC AND /OCE PRICES INCLUDES SSB AND ANY FIVE OF THE WJ-880X/IF BANDWIDTHS LISTED BEGINNING PAGE 2.

WJ-8986/AAU	ANT ADAPTER (USED W/AU-X)	210	13,160	12,500	11,880	C	50
WJ-8976/AU-3	2-30 MHZ DF ANTENNA	210	36,600	34,770	33,030	C	50
WJ-9886-1	20-1200 MHZ DF ANTENNA	210	30,000	28,500	27,080	C	50
WJ-9886-2	20-1200M LOW PROFILE DF ANT	210	30,000	28,500	27,080	C	50

NOTE: CONTACT FACTORY FOR PRICE AND AVAILABILITY ON ANTENNA ELEMENT OPTIONS. ANTENNA CABLES PRICED SEPARATELY.

F.O.B GAITHERSBURG, MARYLAND

PAG

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD  
GAITHERSBURG, MD 20878-1704

PHONE: (301) 948-7550; TWX: 710-828-0548;

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
<b>WJ-8986 3-CHANNEL DF SYSTEM COMPONENTS (U.S., NATO, GROUP 3):</b>							
WJ-8986/CH3	3-CHNL DF PRCSR (2-512 MHZ)	210	105,000	99,750	94,750	C	120
WJ-8986/FE3	FREQUENCY EXT (512-2000 MHZ)	210	36,000	34,200	32,490	INCLUDED IN /CH:	
<p>* NOTE: CONTACT FACTORY FOR DETAILS ON PRICE AND AVAILABILITY ON THE /CH4 AND /CH5 OPTIONS.</p> <p>** NOTE: CONTACT FACTORY FOR DETAILS ON PRICE AND AVAILABILITY ON THE /FE4 AND /FE5 OPTIONS.</p>							
WJ-8986/OC	OPERATOR CHANNEL (2-512M)	210	19,980	19,240	17,950	B	200
WJ-8986/OCE	OPERATOR CHANNEL (2-2000M)	210	27,910	26,610	24,950	B	200
WJ-8986/488	IEEE-488 INTERFACE	210	1,200	1,200	1,200	C	
<p>*** NOTE: THE WJ-8986/OC AND /OCE PRICES INCLUDES SSB AND ANY FIVE OF THE WJ-890X/1F BANDWIDTHS LISTED BEGINNING PAGE 2.</p>							
WJ-8986/AAU	ANT ADAPTER (USED W/AU-X)	210	13,160	12,500	11,880	C	50
WJ-8976/AU-3	2-30 MHZ DF ANTENNA	210	35,600	34,770	33,030	C	50
WJ-9886-1	20-1200 MHZ DF ANTENNA	210	30,000	28,500	27,080	C	50
WJ-9886-2	20-1200M LOW PROFILE DF ANT	210	30,000	28,500	27,080	C	50
<p>**** NOTE: CONTACT FACTORY FOR PRICE AND AVAILABILITY ON ANTENNA ELEMENT OPTIONS. ANTENNA CABLES PRICED SEPARATELY.</p>							

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7550; TWX: 710-828-0548

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-8990A (MANTIS)	MANPACK TACTICAL INTELL SYS	210	104,500	99,280	94,320	C	220
WJ-8990A/FE	FREQ EXT 500-1100 MHZ	210	17,230	16,370	15,550		
WJ-8999	PORTABLE TEMPEST RCVR	210	161,150	153,090	145,440	B	200
WJ-8999/FE	FREQ EXT 1-12 GHZ	210	48,880	46,440	44,120	B	
WJ-8999/PATS	APPLICATION SOFTWARE	090	45,000	42,750	40,510		
WJ-8999/SM	SIGNAL MONITOR	210	4,760	4,520	4,290	B	
WJ-8999/WBW	WIDE BANDWIDTH	210	10,930	10,380	9,860	B	
WJ-9075	* FREQ EXT 1-4.5 GHZ	270	43,800	41,610	39,530	C	50
<div style="border: 1px solid black; padding: 5px;">                     NOTE: CONSULT FACTORY BEFORE ORDERING.                 </div>							
WJ-9103-1	** MULTI-CHANNEL DIGITAL TUNER	200	133,350	126,680	120,350	C	120
WJ-9103-2	*** MULTI-CHANNEL DIGITAL TUNER	200	133,350	126,680	120,350	C	120
WJ-9103-X/FE	**** FREQUENCY EXTENDER	200	55,380	52,610	49,980	INFO IN WJ-9103	
WJ-9103-X/FESL	FREQUENCY EXTENDER	200	14,220	13,510	12,830	INFO IN WJ-9103	
WJ-9103/DTM	DIGITAL TUNER MODULE (2M BW)	200	23,390	22,220	21,110	INFO IN WJ-9103	
WJ-9103/DTM-1	DIGITAL TUNER MODULE (4M BW)	200	23,390	22,220	21,110	INFO IN WJ-9103	

\*\* NOTE: WJ-9103-1 REQUIRES THE WJ-9103/DTM-1.  
 \*\*\* NOTE: WJ-9103-2 REQUIRES THE WJ-9103/DTM.  
 \*\*\*\* NOTE: WJ-9103-X/FE INCLUDES A MASTER FREQUENCY EXTENDER AND CAN HOLD  
 A MAXIMUM OF 7 ADDITIONAL FESL SLAVE FREQUENCY EXTENDERS.

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD  
GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7550; TWX: 710-828-0548;

TELEX: 88-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-9195C	SPECTRUM PROCESSOR	180	76,880	73,040	69,390	A	305
WJ-9195C/DMA	DIRECT MEMORY ACCESS	180	2,250	2,140	2,030	INFO IN SIOXXX	
WJ-9195C/FE	500-1400 MHZ FREQ EXTENDER	180	9,240	8,780	8,340	INFO IN WJ-9195C	
WJ-9195C/HFE	2-30 MHZ FREQ EXTENDER	180	6,580	6,420	6,260	INFO IN WJ-9195C	
WJ-9195C/HIO2	IEEE-488 HANDOFF, 881X PCVRS	180	1,210	1,150	1,090	INFO IN WJ-9195C	
WJ-9195C/IFD	DEMODULATOR	180	6,510	6,405	6,300	INFO IN WJ-9195C	
WJ-9195C/RMU	REMOTE MONITOR UNIT	180	4,690	4,460	4,240	C	
<p>* NOTE: PLEASE SPECIFY RECEIVER-TYPE TO BE CONTROLLED.</p> <p>** NOTE: THE WJ-9195C/IFD DEMODULATOR PRICE INCLUDES UP TO FOUR SELECTABLE WJ-9028-XXX IF BANDWIDTH FILTERS, IN THE RANGE OF 3 KHZ TO 3 MHZ.</p>							
WJ-9195C/SCS-16	RACK SLIDES	090	120	120	120		
WJ-9195C/SIO232	SYSTEM INTERFACE - RS232	180	1,210	1,150	1,090	C	50
WJ-9195C/SIO488	SYSTEM INTERFACE - IEEE-488	180	1,210	1,150	1,090	B	50
WJ-9205	SIGNAL MONITOR	180	13,750	13,060	12,410	B	65
WJ-9205/2K	2 KHZ RESOLUTION	180	1,370	1,300	1,240	INFO IN WJ-9205	
WJ-9205/488	IEEE-488 INTERFACE	120	520	520	520	INFO IN WJ-9205	
WJ-9206	SIGNAL MONITOR	180	8,180	7,770	7,370	B	65
WJ-9207	DIGITAL DISPLAY UNIT	180	9,450	8,980	8,530	C	50
<p>*** NOTE: FOR USE WITH WJ-8607, WJ-9902, WJ-9008.</p>							
WJ-9310	VHF/UHF MULTICOUPLER	150	8,760	8,320	7,900	A	75
WJ-9311	HF MULTICOUPLER	150	6,810	6,470	6,150	B	65
WJ-9315	VHF/UHF MULTICOUPLER	150	8,810	8,370	7,950	C	50

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1704

PHONE: (301) 948-7650; TWX: 710-826-0648

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-9424	VOICE GRADE CHANNEL PROC	180	18,450	17,530	16,650	C	120
WJ-9424/CEPT	CEPT V1 INPUT FORMATTER	180	1,500	1,430	1,360		
WJ-9424/SCSI	SCSI OUTPUT FORMATTER	180	1,500	1,430	1,360		
WJ-9424/T1	T1 INPUT FORMATTER	180	1,500	1,430	1,360		
<p>NOTE: THE WJ-9424 ACCEPTS UP TO 30 WJ-9548/FLX FLEXIBLE DEMODULATOR CARDS, AS WELL AS UP TO FOUR OF THE WJ-9424 OPTION CARDS LISTED.</p>							
WJ-9470/CRF6	CONTROL RACK FRAME 6 CH	150	6,830	6,490	6,170	C	50
WJ-9470/CRF12	CONTROL RACK FRAME 12 CH	150	8,260	7,840	7,450	C	50
WJ-9470/CRF12-1	CONTROL RACK FRAME 12 CH	150	8,600	8,170	7,760	C	50
WJ-9470/ERF	EXPANSION RACK FRAME	180	4,810	4,570	4,340		
WJ-9470/ERF-1	EXPANSION RACK FRAME	180	5,040	4,790	4,550		
WJ-9471/CRF12	CONTROL RACK FRAME 12 CH	180	7,110	6,770	6,450	C	50
WJ-9471/CRF24	CONTROL RACK FRAME 24 CH	180	11,390	10,810	9,730	C	50
WJ-9471/DU	2-CHANNEL FSK DEMOD UNIT	180	3,140	2,980	2,840		
WJ-9471/232	RS-232C INTERFACE UNIT	180	810	810	810		
WJ-9471/488	IEEE-488 INTERFACE BUS	180	810	810	810		
WJ-9472/CRF	CONTROL RACK FRAME	150	5,210	4,950	4,710	C	50
WJ-9472/CRF-1	CONTROL RACK FRAME	150	5,860	5,570	5,290		
WJ-9472/DDU	DFSK/DIVERSITY UNIT	150	2,170	2,060	1,960		
WJ-9472/DU	DEMODULATOR UNIT	150	2,770	2,630	2,500		
WJ-9472/SMU	SIGNAL MONITOR UNIT	150	2,960	2,810	2,670		

F.O.B GAITHERSBURG, MARYLAND

PAGE

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7550; TWX: 710-828-0648;

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS PRICE
			1-3	4-9	10-24	
WJ-9472/232	RS-232C INTERFACE BUS	150	810	810	810	
WJ-9472/232-1	RS-232C DAISY CHAIN	150	870	870	870	
WJ-9472/488	IEEE-488 INTERFACE BUS	150	810	810	810	
WJ-9477(G)	TUNABLE DEMODULATOR	180	24,190	22,960	21,780	B 200
WJ-9477/IFC	IF CONVERTER	180	5,230	4,960	4,720	INFO IN 9477(G)
WJ-9477/ISB	INDEP SINGLE SIDEBAND	180	2,980	2,830	2,690	INFO IN 9477(G)
WJ-9477/SSB	SINGLE SIDEBAND	180	2,400	2,280	2,170	INFO IN 9477(G)
WJ-9477/VF	VIDEO FILTERS	180	1,060	1,010	960	INFO IN 9477(G)
WJ-9477/VOA	VIDEO OUTPUT ATTENUATOR	180	500	500	500	INFO IN 9477(G)
WJ-9477/3.2K-GP1	IF DEMOD 3.2 KHZ BW	180	560	560	560	
WJ-9477/3.2K-GP2	IF DEMOD 3.2 KHZ BW	180	950	950	950	
WJ-9477/3.2K-GP3	IF DEMOD 3.2 KHZ BW	180	950	950	950	
WJ-9477/4K-GP1	IF DEMOD 4 KHZ BW	180	560	560	560	
WJ-9477/4K-GP2	IF DEMOD 4 KHZ BW	180	950	950	950	
WJ-9477/4K-GP3	IF DEMOD 4 KHZ BW	180	950	950	950	
WJ-9477/10K-GP1	IF DEMOD 10 KHZ BW	180	560	560	560	
WJ-9477/10K-GP2	IF DEMOD 10 KHZ BW	180	950	950	950	
WJ-9477/10K-GP3	IF DEMOD 10 KHZ BW	180	950	950	950	
WJ-9477/20K-GP1	IF DEMOD 20 KHZ BW	180	560	560	560	
WJ-9477/20K-GP2	IF DEMOD 20 KHZ BW	180	950	950	950	
WJ-9477/20K-GP3	IF DEMOD 20 KHZ BW	180	950	950	950	
WJ-9477/25K-GP1	IF DEMOD 25 KHZ BW	180	560	560	560	
WJ-9477/25K-GP2	IF DEMOD 25 KHZ BW	180	950	950	950	
WJ-9477/25K-GP3	IF DEMOD 25 KHZ BW	180	950	950	950	

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1704

PHONE: (301) 948-7550; TWX: 710-828-0646;

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS PRICE
			1-3	4-9	10-24	
WJ-9477/50K-GP1	IF DEMOD 50 KHZ BW	180	560	560	560	
WJ-9477/50K-GP2	IF DEMOD 50 KHZ BW	180	950	950	950	
WJ-9477/50K-GP3	IF DEMOD 50 KHZ BW	180	950	950	950	
WJ-9477/75K-GP1	IF DEMOD 75 KHZ BW	180	560	560	560	
WJ-9477/75K-GP2	IF DEMOD 75 KHZ BW	180	950	950	950	
WJ-9477/75K-GP3	IF DEMOD 75 KHZ BW	180	950	950	950	
WJ-9477/100K-GP1	IF DEMOD 100 KHZ BW	180	560	560	560	
WJ-9477/100K-GP2	IF DEMOD 100 KHZ BW	180	950	950	950	
WJ-9477/100K-GP3	IF DEMOD 100 KHZ BW	180	950	950	950	
WJ-9477/150K-GP1	IF DEMOD 150 KHZ BW	180	560	560	560	
WJ-9477/150K-GP2	IF DEMOD 150 KHZ BW	180	950	950	950	
WJ-9477/200K-GP1	IF DEMOD 200 KHZ BW	180	560	560	560	
WJ-9477/200K-GP2	IF DEMOD 200 KHZ BW	180	950	950	950	
WJ-9477/200K-GP3	IF DEMOD 200 KHZ BW	180	950	950	950	
WJ-9477/300K-GP1	IF DEMOD 300 KHZ BW	180	560	560	560	
WJ-9477/300K-GP2	IF DEMOD 300 KHZ BW	180	950	950	950	
WJ-9477/300K-GP3	IF DEMOD 300 KHZ BW	180	950	950	950	
WJ-9477/500K-GP1	IF DEMOD 500 KHZ BW	180	560	560	560	
WJ-9477/500K-GP2	IF DEMOD 500 KHZ BW	180	950	950	950	
WJ-9477/500K-GP3	IF DEMOD 500 KHZ BW	180	950	950	950	
WJ-9477/750K-GP1	IF DEMOD 750 KHZ BW	180	560	560	560	
WJ-9477/750K-GP2	IF DEMOD 750 KHZ BW	180	950	950	950	
WJ-9477/750K-GP3	IF DEMOD 750 KHZ BW	180	950	950	950	



# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7550; TWX: 710-828-0548;

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-9477/1M-GP1	IF DEMOD 1 MHZ BW	180	560	560	560		
WJ-9477/1M-GP2	IF DEMOD 1 MHZ BW	180	950	950	950		
WJ-9477/1M-GP3	IF DEMOD 1 MHZ BW	180	950	950	950		
WJ-9477/1.5M-GP1	IF DEMOD 1.5 MHZ BW	180	560	560	560		
WJ-9477/1.5M-GP2	IF DEMOD 1.5 MHZ BW	180	950	950	950		
WJ-9477/1.5M-GP3	IF DEMOD 1.5 MHZ BW	180	950	950	950		
WJ-9477/2M-GP1	IF DEMOD 2 MHZ BW	180	560	560	560		
WJ-9477/2M-GP2	IF DEMOD 2 MHZ BW	180	950	950	950		
WJ-9477/2M-GP3	IF DEMOD 2 MHZ BW	180	950	950	950		
WJ-9477/2.5M-GP1	IF DEMOD 2.5 MHZ BW	180	560	560	560		
WJ-9477/2.5M-GP2	IF DEMOD 2.5 MHZ BW	180	950	950	950		
WJ-9477/2.5M-GP3	IF DEMOD 2.5 MHZ BW	180	950	950	950		
WJ-9477/5M-GP1	IF DEMOD 5 MHZ BW	180	560	560	560		
WJ-9477/5M-GP2	IF DEMOD 5 MHZ BW	180	950	950	950		
WJ-9477/5M-GP3	IF DEMOD 5 MHZ BW	180	950	950	950		
WJ-9480/DU	DEMODULATOR	270	56,990	54,140	51,430	A	220
WJ-9480/ATU	TUNER/IF AMPLIFIER	270	53,030	50,380	47,860		
WJ-9497	TUNABLE DEMODULATOR	270	60,940	57,890	55,000	C	120
WJ-9497/AIM	ANALOG INPUT MODULE	270	23,380	22,210	21,100		
WJ-9497/DTNF	DIG TUNABLE NOTCH FILTER	270	8,310	7,890	7,500		

NOTE: THE WJ-9497 INCLUDES THE FOLLOWING OPTIONS: /FP, FRONT PANEL;  
/ARM, ANALOG RECONSTRUCTION MODULE, AND /BD, BASEBAND DIGITIZER.

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7550; TWX: 710-828-0548

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MAN CLASS
			1-3	4-9	10-24	
WJ-8615/1M	IF DEMOD 1 MHZ BW	180	600	600	600	
WJ-8615/2M	IF DEMOD 2 MHZ BW	180	600	600	600	
WJ-8615/4M	IF DEMOD 4 MHZ BW	180	600	600	600	
WJ-8615P/8M	IF DEMOD 8 MHZ BW	180	600	600	600	
<p>NOTE: THE WJ-8615P/8M BANDWIDTH OPTION IS ONLY AVAILABLE FOR THE WJ-8615P RECEIVER</p>						
WJ-8617B(S1)	GENERAL PURPOSE RECEIVER	180	25,510	24,230	23,020	A
WJ-8617B-17	EMC RECEIVER	180	37,400	35,530	33,750	A
WJ-8617B-20	GEN PURPOSE RCVR (.01-500M)	180	47,050	44,710	42,590	A
WJ-8617B-21	DF RECEIVER (20-500 MHZ)	180	30,290	28,770	27,340	A
WJ-8618B(S1)	GENERAL PURPOSE RECEIVER	180	25,510	24,230	23,020	A
WJ-861X/ASO	AUDIO SCAN OUTPUT	120	360	360	360	A
WJ-861XBS1/BITE	BUILT-IN TEST	120	1,940	1,840	1,750	A
WJ-861X/DFC	DIRECTION FINDING CONTROL	120	330	330	330	C
WJ-861XB/DRD	DIGITAL REF DISPLAY	120	730	730	730	A
WJ-861XB/FE	FREQ EXT 500-1100 MHZ	150	5,050	4,780	4,660	A
WJ-861XB/FEDF	DF FREQ EXT 500-1100 MHZ	180	7,050	6,690	6,490	A
WJ-861XB/FEX	FREQ EXT 500-1200 MHZ	150	5,360	5,110	4,970	A
WJ-861XB/FEXDF	DF FREQ EXT 500-1200 MHZ	180	7,380	7,010	6,840	A
WJ-861X/FP	FAN PANEL	120	360	360	360	
WJ-861XB/HFE	FREQ EXT 2-20 MHZ	150	2,050	1,950	1,860	A
WJ-861XB/ISB	INDEP SINGLE SIDEBAND	120	1,390	1,330	1,250	A
WJ-861XB/LFE	FREQ EXT 5-20 MHZ	180	3,100	2,950	2,800	

F.O.B GAITHERSBURG, MARYLAND

PAC

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1704

PHONE: (301) 948-7550; TWX: 710-828-0548

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-8615/FEX12	FREQ EXT 500-1200 MHZ	180	5,555	5,280	5,020		
WJ-8615/FEX16	FREQ EXT 500-1800 MHZ	180	8,600	8,170	7,760	C	
WJ-8615/FSLO	FAST SECOND LO	180	650	650	650	C	
WJ-8615/HFE	FREQ EXT 2-20 MHZ	180	1,250	1,190	1,130	C	
WJ-8615/ISB	INDEP SINGLE SIDEBAND	180	1,010	1,010	1,010		
WJ-8615/PRE	TRACKING PRESELECTOR	180	2,040	1,940	1,840	C	
WJ-8615/SAO	SELECTED AUDIO OUTPUT	120	340	340	340	C	
WJ-8615/SCS-20	STRAIGHT CHASSIS SLIDES	030	120	120	120	C	
WJ-8615/WBO	WIDEBAND IF OUTPUT	180	350	350	350	C	
<p>* NOTE: THE WJ-8615/FSLO IS NOT AVAILABLE FOR THE WJ-8615P RECEIVER.</p> <p>** NOTE: THE WJ-8615/PRE OPTION INCLUDES HFE CAPABILITY.</p>							
WJ-8615/3.2K	IF DEMOD 3.2 KHZ BW	180	600	600	600		
WJ-8615/6.4K	IF DEMOD 6.4 KHZ	180	760	760	760		
WJ-8615/10K	IF DEMOD 10 KHZ BW	180	600	600	600		
WJ-8615/15K	IF DEMOD 15 KHZ BW	180	600	600	600		
WJ-8615/20K	IF DEMOD 20 KHZ BW	180	600	600	600		
WJ-8615/25K	IF DEMOD 25 KHZ BW	180	760	760	760		
WJ-8615/30K	IF DEMOD 30 KHZ BW	180	760	760	760		
WJ-8615/50K	IF DEMOD 50 KHZ BW	180	600	600	600		
WJ-8615/75K	IF DEMOD 75 KHZ BW	180	600	600	600		
WJ-8615/100K	IF DEMOD 100 KHZ BW	180	600	600	600		
WJ-8615/250K	IF DEMOD 250 KHZ BW	180	990	990	990		
WJ-8615/300K	IF DEMOD 300 KHZ BW	180	600	600	600		
WJ-8615/500K	IF DEMOD 500 KHZ BW	180	600	600	600		

F.O.B GAITHERSBURG, MARYLAND

PA

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, M.D. 20878-1724

PHONE: (301) 948-7560; TWX: 710-428-0546

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN  
JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-9881A	DF ANTENNA	180	20,880	19,830	18,840	A	75
WJ-9882	600-1100 MHZ DF ANTENNA	180	8,440	8,020	7,620	B	75
WJ-9902	FRAME FOR 2 WJ-8607 RECVRS	180	3,630	3,270	2,940	C	50
WJ-9902/FPU	FRONT PANEL UNIT	180	2,690	2,560	2,430	C	
WJ-9902/232	RS-232C REMOTE INTERFACE	180	1,480	1,410	1,340	C	
WJ-9902/422	RS-422 REMOTE INTERFACE	180	1,420	1,350	1,280	C	
WJ-9902/488	IEEE-488 REMOTE INTERFACE	180	1,420	1,350	1,280	C	
<p>NOTE: THE WJ-9902/FPU REQUIRES THE USE OF ONE OF THE WJ-9902/XXX REMOTE INTERFACES LISTED ABOVE.</p>							
WJ-9908	FRAME FOR 8 WJ-8607 RECEIVER	180	16,040	14,440	13,000	C	50
WJ-9908/232	RS-232C REMOTE INTERFACE	180	1,480	1,410	1,340	C	
WJ-9908/422	RS-422 REMOTE INTERFACE	180	1,420	1,350	1,280	C	
WJ-9908/488	IEEE-488 REMOTE INTERFACE	180	1,420	1,350	1,280	C	

F.O.B GAITHERSBURG, MARYLAND

PAK

# WATKINS-JOHNSON COMPANY

## CET DIVISION PRICE LIST

700 QUINCE ORCHARD ROAD

GAITHERSBURG, MD 20878-1794

PHONE: (301) 948-7660; TWX: 710-828-0546;

TELEX: 89-8402 OR 275121; FAX: (301) 921-9479

DOMESTIC CUSTOMERS APPLY A 10% DISCOUNT TO ALL PRICES

PRICES IN EFFECT FOR ORDERS RECEIVED BETWEEN

JULY 1, 1992 AND DECEMBER 31, 1992

TYPE/MODEL	DESCRIPTION	LEAD TIME	QUANTITY			MANUAL CLASS	PRICE
			1-3	4-9	10-24		
WJ-9518BE	DEMODULATOR	180	29,500	28,030	26,620	A	220
WJ-9525-1	DEMODULATOR	180	27,700	26,320	25,000	A	220
WJ-9546	6 CHANNEL FDM DEMOD	180	34,500	32,780	31,140	C	120
WJ-9546/ACT2	LEVEL 2 ACTIVITY MONITOR	180	5,920	5,620	5,340	C	120
WJ-9546/HHC	HANDHELD CONTROLLER	180	3,750	3,560	3,380		
WJ-9547	DIGITAL FDM DEMULTIPLEXER	180	18,450	17,530	16,650	C	120
✓ WJ-9548	DIGITAL FDM DEMULTIPLEXER	180	18,450	17,530	16,650	C	120
✓ WJ-9548/6CH	6 CHANNEL CARDSET	180	12,930	12,280	11,670	INFO IN WJ-954X	

NOTE: THE WJ-9547 TEMPEST VERSION OF THE FDM DEMODULATOR ACCEPTS ALL WJ-9548/XXX OPTIONS. SEE DATASHEET FOR CURRENTLY QUALIFIED TEMPEST CONFIGURATIONS.

NOTE: THE WJ-9548 ACCEPTS A MAXIMUM OF FOUR WJ-9548/6CH CARDS FOR UP TO 24 CHANNELS PER UNIT.

✓ WJ-9548/ACT1	LEVEL 1 ACTIVITY MONITOR	180	5,920	5,620	5,340	INFO IN WJ-954X	
✓ WJ-9548/ACT2	LEVEL 2 ACTIVITY MONITOR	180	5,920	5,620	5,340	INFO IN WJ-954X	
✓ WJ-9548/AUD	12 CHANNEL AUDIO OUTPUT	180	2,330	2,220	2,110	INFO IN WJ-954X	
✓ WJ-9548/CEPT	CEPT OUTPUT	180	940	890	850	INFO IN WJ-954X	
✓ WJ-9548/FLX	FLEXIBLE DEMODULATOR	180	3,000	2,850	2,710	INFO IN WJ-954X	
✓ WJ-9548/T1	T1 OUTPUT	180	940	890	850	INFO IN WJ-954X	
WJ-9605	DUAL RECVR FP CONTROLLER	180	3,700	3,520	3,340	C	75
WJ-9607	MULTI-RECVR FP CONTROLLER	180	3,980	3,780	3,590	C	50

NOTE: THE WJ-9605 DOES NOT ACCEPT A MOST INTERFACE.

NOTE: THE WJ-9607 PRICING INCLUDES EITHER THE RS-232 OR IEEE-488 INTERFACE. ONE MUST BE SPECIFIED UPON ORDER.

F.O.B GAITHERSBURG, MARYLAND

PAG.